

Work Order ID 148639

Wednesday, July 06, 2016 8:36:59 AM

148639

Page 1

Item ID: D350-578-031

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Item Name: AS350/AS355 Bearpaw Wearplates

Stop ***NS2***

Start Date: 6/28/2016 Start Qty: 1.00

1 3
1

Cust Item ID:

Required Date: 7/5/2016 Req'd Qty: 1.00

Customer:

Reference:

Approvals: Process Plan: **DAS 21** Date: **JUL 08 2016** Tooling: _____ Date: _____
QC: **9-89** Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D350-578	H	DAS 26 9-89						DAS 21 9-89	AUG 16 2016 3
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile and type labels per PPP D350-578-031 CHG 003								
								3x	DAS 27 9-89 AUG 16 2016
									AUG 15 2016
105	Pick Kit	0.00							
105									
Packaging	Memo	0.00							
Packaging									
								3x	DAS 26 9-89 DAS 28 9-89 AUG 08 2016
/ 110	QC4- 100% Inspect kits for completeness	0.00							
110									
QC	Memo	0.00							
Quality Control									
								3x	DAS 27 9-89 AUG 15 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
2025-01-01 2025-01-01 2025-01-01									
							Completed By Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause		FAULT CATEGORY					
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : _____	

Work Order ID 148639

Wednesday, July 06, 2016 8:36:59 AM

148639

Page 2

Item ID: D350-578-031

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: AS350/AS355 Bearpaw Wearplates

Start Date: 6/28/2016 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 7/5/2016 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	Packaging	0.00							
120									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D350-578-031 and DSI9429 Location: <u>F-6 129</u> PPP Rev: _____								
130	QC21- Final Inspection - Work Order Release	0.00							
130									
QC	Memo	0.02							
Quality Control									

DAS
27
9-89

AUG 1 5 2016

DAS
21
9-89

AUG 1 6 2016

DAS
21
9-89

AUG 1 6 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : _____									

Picklist Print

Wednesday, July 06, 2016 8:36:59 AM

Page 1

Work Order ID: 148639

148639

Parent Item: D350-578-031

D350-578-031

Parent Item Name: AS350/AS355 Bearpaw Wearplates

Start Date: 6/28/2016

Required Date: 7/5/2016

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A 09-02-03 new issue DD verified by:JLM IPP REV:B
14.05.01 AS PER ECN14-544 DD VERF:JLM IPP REV:C 15.03.30
JLM VERIFIED BY:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3859-041		Manufactured	No			105	Each	0.0000	2	2			DAS 28 9-89
D3859-041									**				
Wearplate Assembly													
AN4-16A		Purchased	No				Each	277.0000					
AN4-16A									**				
Bolt													

Location	Loc Qty	Loc Code
FG	5	
121541	5	
over003	100	
M135127	100	
ST343	172	
M134762	22	
M135058	150	

AN4-17A	Purchased	No				105	Each	159.0000	12				DAS 26 9-89
AN4-17A									**				DAS 28 9-89
Bolt													

Location	Loc Qty	Loc Code
over003	50	
M135056	50	
ST343	100	
M134943	100	
STT343	9	
M134754	9	

AUG 08 2016

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td style="border: none;"></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐																																													
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																																																		
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																																																																		
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																																																																		
Large Fab ☐	Composite ☐	Supplier ☐																																																																			
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																														
Description Work Order Deviation				Disposition				Completed By																																																													
Root Cause				FAULT CATEGORY																																																																	
<table style="width:100%; border: none;"> <tr><td style="border: none;">Environment ☐</td><td style="border: none;">No Re-verification ☐</td></tr> <tr><td style="border: none;">Design ☐</td><td style="border: none;">Operator ☐</td></tr> <tr><td style="border: none;">Doc/Data ☐</td><td style="border: none;">Offset/Setup ☐</td></tr> <tr><td style="border: none;">Equip/Tooling ☐</td><td style="border: none;">Supplier ☐</td></tr> <tr><td style="border: none;">Handling/Pre ☐</td><td style="border: none;">Training ☐</td></tr> <tr><td style="border: none;">Material ☐</td><td style="border: none;">Use for Testing ☐</td></tr> <tr><td style="border: none;">Internal Transport ☐</td><td style="border: none;">Poor Information ☐</td></tr> <tr><td style="border: none;">Tribal Knowledge ☐</td><td style="border: none;">Rushing ☐</td></tr> <tr><td style="border: none;">LOA ☐</td><td style="border: none;">Product Improvement ☐</td></tr> <tr><td style="border: none;">Substation ☐</td><td style="border: none;">Process Improvement ☐</td></tr> <tr><td style="border: none;">Past Expiry Date ☐</td><td style="border: none;">Manufacturing Process ☐</td></tr> <tr><td style="border: none;">Misidentified ☐</td><td style="border: none;">Past Due ☐</td></tr> </table>		Environment ☐	No Re-verification ☐	Design ☐	Operator ☐	Doc/Data ☐	Offset/Setup ☐	Equip/Tooling ☐	Supplier ☐	Handling/Pre ☐	Training ☐	Material ☐	Use for Testing ☐	Internal Transport ☐	Poor Information ☐	Tribal Knowledge ☐	Rushing ☐	LOA ☐	Product Improvement ☐	Substation ☐	Process Improvement ☐	Past Expiry Date ☐	Manufacturing Process ☐	Misidentified ☐	Past Due ☐	<table style="width:100%; border: none;"> <tr><td style="border: none;">☐ Pressure/Forced</td><td style="border: none;">☐ Temperature/Cure</td></tr> <tr><td style="border: none;">☐ Bending</td><td style="border: none;">☐ Set-up</td></tr> <tr><td style="border: none;">☐ Centre Not Concentric</td><td style="border: none;">☐ BOM/Route</td></tr> <tr><td style="border: none;">☐ Cracks</td><td style="border: none;">☐ Broken/Damage/Defect</td></tr> <tr><td style="border: none;">☐ Crimp/Kink/Ripple/Wave</td><td style="border: none;">☐ Inspection Incomplete/Unqualified</td></tr> <tr><td style="border: none;">☐ Cuffs</td><td style="border: none;">☐ Contamination</td></tr> <tr><td style="border: none;">☐ Crushing</td><td style="border: none;">☐ Countersink</td></tr> <tr><td style="border: none;">☐ Heat Treat</td><td style="border: none;">☐ Cut Too Short</td></tr> <tr><td style="border: none;">☐ Wave/Twist in Tube</td><td style="border: none;">☐ Instructions Incomplete/Unclear</td></tr> <tr><td style="border: none;">☐ Marks/Chatter</td><td style="border: none;">☐ Drill Holes</td></tr> </table>		☐ Pressure/Forced	☐ Temperature/Cure	☐ Bending	☐ Set-up	☐ Centre Not Concentric	☐ BOM/Route	☐ Cracks	☐ Broken/Damage/Defect	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Cuffs	☐ Contamination	☐ Crushing	☐ Countersink	☐ Heat Treat	☐ Cut Too Short	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Marks/Chatter	☐ Drill Holes	<table style="width:100%; border: none;"> <tr><td style="border: none;">☐ Power Loss/Surge</td><td style="border: none;">☐ Positioned Wrong</td></tr> <tr><td style="border: none;">☐ Folio/Program</td><td style="border: none;">☐ Outside Dimensions</td></tr> <tr><td style="border: none;">☐ Grain</td><td style="border: none;">☐ Over/Under tolerance</td></tr> <tr><td style="border: none;">☐ Weld</td><td style="border: none;">☐ Part Incorrect</td></tr> <tr><td style="border: none;">☐ Wrong Stock Pulled</td><td style="border: none;">☐ Part Lost/Missing</td></tr> <tr><td style="border: none;">☐ Out of Sequence</td><td style="border: none;">☐ Part Moved</td></tr> <tr><td style="border: none;">☐ Off-set</td><td style="border: none;">☐ Drawing</td></tr> <tr><td style="border: none;">☐ Mislabeled</td><td style="border: none;">☐ Finish</td></tr> <tr><td style="border: none;">☐ Fit/Function</td><td style="border: none;">☐ Misread</td></tr> <tr><td style="border: none;">☐ Misaligned/off center</td><td style="border: none;">☐ Turning Sequence</td></tr> </table>		☐ Power Loss/Surge	☐ Positioned Wrong	☐ Folio/Program	☐ Outside Dimensions	☐ Grain	☐ Over/Under tolerance	☐ Weld	☐ Part Incorrect	☐ Wrong Stock Pulled	☐ Part Lost/Missing	☐ Out of Sequence	☐ Part Moved	☐ Off-set	☐ Drawing	☐ Mislabeled	☐ Finish	☐ Fit/Function	☐ Misread	☐ Misaligned/off center	☐ Turning Sequence
Environment ☐	No Re-verification ☐																																																																				
Design ☐	Operator ☐																																																																				
Doc/Data ☐	Offset/Setup ☐																																																																				
Equip/Tooling ☐	Supplier ☐																																																																				
Handling/Pre ☐	Training ☐																																																																				
Material ☐	Use for Testing ☐																																																																				
Internal Transport ☐	Poor Information ☐																																																																				
Tribal Knowledge ☐	Rushing ☐																																																																				
LOA ☐	Product Improvement ☐																																																																				
Substation ☐	Process Improvement ☐																																																																				
Past Expiry Date ☐	Manufacturing Process ☐																																																																				
Misidentified ☐	Past Due ☐																																																																				
☐ Pressure/Forced	☐ Temperature/Cure																																																																				
☐ Bending	☐ Set-up																																																																				
☐ Centre Not Concentric	☐ BOM/Route																																																																				
☐ Cracks	☐ Broken/Damage/Defect																																																																				
☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified																																																																				
☐ Cuffs	☐ Contamination																																																																				
☐ Crushing	☐ Countersink																																																																				
☐ Heat Treat	☐ Cut Too Short																																																																				
☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear																																																																				
☐ Marks/Chatter	☐ Drill Holes																																																																				
☐ Power Loss/Surge	☐ Positioned Wrong																																																																				
☐ Folio/Program	☐ Outside Dimensions																																																																				
☐ Grain	☐ Over/Under tolerance																																																																				
☐ Weld	☐ Part Incorrect																																																																				
☐ Wrong Stock Pulled	☐ Part Lost/Missing																																																																				
☐ Out of Sequence	☐ Part Moved																																																																				
☐ Off-set	☐ Drawing																																																																				
☐ Mislabeled	☐ Finish																																																																				
☐ Fit/Function	☐ Misread																																																																				
☐ Misaligned/off center	☐ Turning Sequence																																																																				
OTHER :																																																																					

Picklist Print

Wednesday, July 06, 2016 8:36:59 AM

Page 2

Work Order ID: 148639

Parent Item: D350-578-031

Parent Item Name: AS350/AS355 Bearpaw Wearplates

148639

D350-578-031

Start Date: 6/28/2016

Required Date: 7/5/2016

Start Qty: 1.00

Required Qty: 1.00

NAS1149D04631

Purchased

No

105

Each

3,449.000

24

24

**

68-6

92

SV0

DAS

28

9-89

NAS1149D0463.1

WASHER

DAS
27
9-89

Location

Loc Qty

Loc Code

GA

86

M132035

21

M134508

65

ST260a

3000

M134852

1000

M134943

1000

M135056

1000

ST263

363

M127693

24

M134754

339

105

Each

2,957.000

12

12

**

68-6

92

SV0

DAS

28

9-89

AUG 08 2016

MS21042L4

Purchased

No

MS21042L4

Locknut

DAS
27
9-89

Location

Loc Qty

Loc Code

FP001

51

m133363

51

GA

156

m133769

156

OVER007

1500

m134955

500

m135127

1000

ST303

1156

m127376

12

m134861

644

m135058

500

ST305

94

m130922

94

~~2000~~ 3600

Wednesday, July 06, 2016 8:36:59 AM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐											
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval								
Description Work Order Deviation				Disposition				Completed By							
2008-11-20								Lead hand / Supervisor Approval Verification							
								QC / QA Coordinator Approval							
Root Cause		FAULT CATEGORY													
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐				Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐				Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐				Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
OTHER : ☐															

5.0 PARTS LIST

5.1 D350-578-011/-013/-015/-017/-021 BEARPAW INSTALLATION

Qty -011	Qty -013	Qty -015	Qty -017	Qty -021	Qty -031	Part Number	Description
X /						D350-578-011	BEARPAW INSTALLATION
	X					D350-578-013	BEARPAW INSTALLATION
		X				D350-578-015	BEARPAW INSTALLATION
			X			D350-578-017	BEARPAW INSTALLATION
				X		D350-578-021	BEARPAW INSTALLATION
					X	D350-578-031	WEARPLATE KIT
2						D2432F	Bearpaw
		2				D2432-3	Bearpaw
12	12	12	12	12		D2529	Washer
				2		D2672F	Bearpaw
12	12	12	12	12		D3601-1	Radius Block (Replaces D2274)
					2	D3859-041	Wearplate
6	6	6	6	6		D4011-1	Clamp (Replaces D2438)
6	6	6	6	6		D4012-1	Cushion (Replaces D2182B050)
	2					D4297-1	Bearpaw
			2			D4297-3	Bearpaw
12	12			12	12	AN4-16A	Bolt /
		12	12		12	AN4-17A /	Bolt
24	24	24	24	24	24	NAS1149D0463J	Washer
12	12	12	12	12	12	MS21042L4	Nut (or MS21042-4)

5.2 D350-578-111/-113/-115/-117/-121 BEARPAW INSTALLATION

Qty -111	Qty -113	Qty -115	Qty -117	Qty -121	Part Number	Description
X					D350-578-111	BEARPAW INSTALLATION
	X				D350-578-113	BEARPAW INSTALLATION
		X			D350-578-115	BEARPAW INSTALLATION
			X		D350-578-117	BEARPAW INSTALLATION
				X	D350-578-121	BEARPAW INSTALLATION
1					D350-578-011	Bearpaw Installation
	1				D350-578-013	Bearpaw Installation
		1			D350-578-015	Bearpaw Installation
			1		D350-578-017	Bearpaw Installation
				1	D350-578-021	Bearpaw Installation
1	1	1	1	1	D350-578-031	Wearplate Kit